



# Guangzhou Ouster Hydraulic Co., Ltd.



230/710CAME4 Bearing 2D drawings and 3D CAD models

710 x 40.551 Inch | 1,030 Millimeter x 9.291 Inch  
 | 236 Millimeter NSK 230/710CAME4 Spherical  
 Roller Bearings

Bearing No. 230/710CAME4

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	671
EAN	0029176089220
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch - Metric	Metric
Long Description	710MM Straight Bore; 1030MM Outside Diameter; 236MM Width; C0-Medium Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable
Category	Spherical Roller Bearing



## Guangzhou Ouster Hydraulic Co., Ltd.

UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	230/710CAME4
Weight / LBS	671
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter
B	9.291 Inch   236 Millimeter
d	27.953 Inch   710 Millimeter
D	40.551 Inch   1,030 Millimeter
Y3	3.1
hidYobi	230/710CAME4
LangID	1
Y1	3.1
D_	1030
Y2	4.6
Macha rpm	0
C	7100
B_	236
da min	746
hidTable	ecat_NSSPHR
Oil rpm	280
da max	0
Y0	3
mass	647
GRS rpm	240
ra	6
TSR rpm	340
C0	15800



## Guangzhou Ouster Hydraulic Co., Ltd.

DE_	953.034
X0	1
Prod_Type3	SRB_CTB_CB
X1	1
d	710
X2	0.67
SIR	93
e	0.22
DA_	78.5
bomp	230/710CAME4
Z_	29
ALP2	15
ALP1	8
ALP3	0
D_a max	994
D_a min	936
yobi	230/710CAME4
ALPHA_	0.144
SDM_	875.347
r	7.5
SBRG	30
DI_	797.659