



## Guangzhou Ouster Hydraulic Co., Ltd.

2.938 Inch | 74.625 Millimeter x 3.622 Inch | 92  
Millimeter x 3.25 Inch | 82.55 Millimeter NTN  
UEL2-2.15/16 Pillow Block Bearings



UEL2-2.15/16 Bearing 2D drawings and 3D CAD models

Bearing No. UEL2-2.15/16

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0
EAN	4547359235357
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	A-UEL215-215D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row   Wide Inner Race   Has Flinger   With Set Screw
Long Description	2 Bolt Pillow Block; 2-15/16" Bore; 3-1/4" Base to Center Height; Eccentric Collar Mount; Ball Bearing;



## Guangzhou Ouster Hydraulic Co., Ltd.

	Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	UELP-2.15/16
B	3.25 Inch   82.55 Millimeter
Nominal Bolt Center to Center	8.5 Inch   215.5 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
d	2.938 Inch   74.625 Millimeter
Actual Bolt Center to Center	8.5 Inch   217Millimeter
D	3.622 Inch   92 Millimeter
mounting:	Two-Bolt Base
overall length:	274.638 mm
bore diameter:	2.9375 in
overall height:	162.719 mm
bore type:	Round
finish/coating:	Uncoated
base to bore centerline:	3.2500 in
overall width:	3-5/8 in
duty type:	Normal Duty
base width:	73.819 mm
housing material:	Cast Iron
bolt center-to-center length:	215.9 mm
locking device:	Eccentric Collar



## Guangzhou Ouster Hydraulic Co., Ltd.

lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UELP
expansion type:	Non-Expansion Bearing (Fixed)